

Annual Inventory Clearance Sale

**RED HOT
SAVINGS**



All in stock
inventory must go.
Ready to ship.

Red hot savings
on fixtures in this
brochure.

take a look...

Place Your
Order !!!

Contact Information:

PMC Lighting
100 Gilbane Street
Warwick, RI 02886

Phone: 401-738-7266
Fax: 401- 738-0618

Larry Crystal
President & C.E.O.
lcrystal@pmclighting.com

Arthur Goldstien
Vice President of Sales
agoldstien@pmclighting.com

table of contents

Direct/Indirect Recessed	
SS24R	> 1
Perimeter	
S175	> 1
Steel Shapes	
SPF13B	> 1
Steel Squares	
S44	> 2
Extruded Oval	
EO838	> 2
Extruded Round	
ER6	> 2
Extruded Shapes	
EO395	> 3
E418	> 3
E17	> 3
E414	> 4
E565	> 4
EH39	> 4
Extruded Squares	
E25275	> 5
ES66	> 5
Vandal Proof	
PVL11	> 6
Recessed HID	
MDL	> 6
Steel Utility	
SL2	> 6
Recesed Fluorescent	
FLH-SQ-8	> 7
Recesed Fluorescent	
INP-SQ-4	> 7



Direct/Indirect Recessed - SS24R (25 pcs AVAILABLE)

The PMC SS22-R / SS24-R Series is a direct / indirect recessed fixture with curved perforated details that combine recessed fixture advantages with efficient, shielded, light output that imitates indirect lighting. SS22-R / SS24-R fixtures have epoxy powder coated housings, with precision-formed, high reflectance, enamel reflectors for optimal optic efficiency.

Fixtures are UL listed, and have standard electronic ballasts. Each fixture is lamp-tested at the factory before shipment.



Your Cost: \$100.00

Book Price: \$160.00


ORDERING INFORMATION

SS24R - DI - T - 2/T5 - 4 - PERF - WHT - UNV								
SERIES NUMBER	DI	T	2	T5	4	PERF	WHT	UNV
LIGHT OUTPUT MOUNTING NUMBER OF LAMPS LAMP TYPE LENGTH DIFFUSER COLOR OPTIONS								

Perimeter - S175 (120 pcs AVAILABLE)

The PMC S175 is an easy to install, efficient, wall-washing fixture with the output of a much larger fixture. A low-irrescence specularreflector further enhances the high lumens of the Biax lamp. All S175 fixtures have white enamel housings, bracketry and trim, with a low-irrescence. specular reflector system.

Fixtures are UL listed, and have standard electronic ballasts. Each fixture is lamp-tested at the factory before shipment.



Your Cost: \$61.00

Book Price: \$122.00


ORDERING INFORMATION

S175 - D - T - 1/T5HO - 2 - WHT - 120							
SERIES NUMBER	D	T	1	T5HO	2	WHT	120
LIGHT OUTPUT MOUNTING NUMBER OF LAMPS LAMP TYPE LENGTH DIFFUSER COLOR OPTIONS							

Steel Shapes - SPF13B (1 pcs AVAILABLE)

The PMC SPF13B is another in a new line of perforated steel fixtures. White Cross baffles are used to diffuse the biax downlight in selected 24" sections. for an added dimension to an already elegant perforated fixture. High reflectance, (Minimum Reflectance Factor 90%) slotted, for downlight transmission, enamel reflectors for optimal optical efficiency.

Fixtures are UL listed, and have standard electronic ballasts. Each fixture is lamp-tested at the factory before shipment.



Your Cost: \$100.00

Book Price: \$262.00

ORDERING INFORMATION

SPF13B - DI - P - 4/T8 - 4 - WB - WHT - UNV								
SERIES NUMBER	DI	P	4	T8	4	WB	WHT	UNV
LIGHT OUTPUT MOUNTING NUMBER OF LAMPS LAMP TYPE LENGTH DIFFUSER COLOR OPTIONS								
			1	40BX				

Steel Squares - S44 (1 pcs AVAILABLE)

PMC's S44 fixtures are die formed of heavy gauge steel for structural integrity. Its internal bracketry, and support are to be of 20 gauge CRS. No hardware or knockouts are visible after installation. Asymmetric reflectors are used to direct light output. These fixtures are to be wall mounted using keyhole slots. All PMC fixtures have epoxy powder coated housings, with precision formed, high reflectance (minimum reflectance factor 90%) enamel reflectors for optimum optical efficiency.

Fixtures are UL listed, and have standard electronic ballasts. Each fixture is lamp-tested at the factory before shipment.



Your Cost: **\$100.00**

Book Price: \$292.00


ORDERING INFORMATION

S44 - D - P - 1/T5HO - 8 - WOA - WHT - UNV								
SERIES NUMBER	D	P	1	T5HO	8	WOA	WHT	UNV
LIGHT OUTPUT MOUNTING NUMBER OF LAMPS LAMP TYPE LENGTH DIFFUSER COLOR OPTIONS								

Extruded Oval - EO838 (28 pcs AVAILABLE)

The PMC EO830 fixture, most often used as an open indirect, glare-free light source is also available as a sophisticated slotted downlight. All EO830 fixtures have powder coated housings, with precision-formed, high reflectance, enamel reflectors for optimal efficiency.

Fixtures are UL listed, and have standard electronic ballasts. Each fixture is lamp-tested at the factory before shipment.



EO830-DI-AC-2/T5HO-4-SLT-WHT-UNV Individual Mounted -	Qty 3	Your Cost: \$200.00
		Book Price: \$458.00
EO830-DI-AC-2/T5HO-8-SLT-WHT-UNV Beginning of Row -	7	Your Cost: \$450.00
End of Row -	7	
Individual Mounted -	10	Book Price: \$778.00

ORDERING INFORMATION

EO830 - DI - AC - 2/T5HO - 4 - SLT - WHT - UNV								
SERIES NUMBER	DI	AC	2	T5HO	4	SLT	WHT	UNV
LIGHT OUTPUT MOUNTING NUMBER OF LAMPS LAMP TYPE LENGTH DIFFUSER COLOR OPTIONS								

Extruded Round - ER6 (4 pcs AVAILABLE)

The classic PMC 6" diameter fixture can be modified with track capabilities, radial diffusers, and T-5 lamps to make it as versatile as the specifier's imagination. All 6" fixtures have powder coated housings for durability, and precision-formed, high reflectance (90%) enamel reflectors.

Fixtures are UL listed, and have standard electronic ballasts. Each fixture is lamp-tested at the factory before shipment.



Your Cost: **\$294.00**


Book Price: \$645.00

ORDERING INFORMATION

ER6 - DP - 2/T8 - 8 - WHT - UNV-IND						
SERIES NUMBER	DP	2	T8	8	WHT	UNV-IND
LIGHT OUTPUT MOUNTING NUMBER OF LAMPS LAMP TYPE LENGTH DIFFUSER COLOR OPTIONS						
ER6-DP-2/T8-8-WHT-UNV-IND Individually Mounted -	Qty 4					

Extruded Shapes - EO395 (1 pcs AVAILABLE)

The PMC EO395 and the companion wall mounted fixture combine the best of the indirect light sources with a choice of sophisticated perforated inserts for the downlight component. All EO395 fixtures have powder coated housings, with precision formed, high reflectance, enamel reflectors for optimal efficiency. Fixtures are UL listed, and have standard electronic ballasts. Each fixture is lamp-tested at the factory before shipment.



Your Cost: **\$200.00**

Book Price: \$617.00


ORDERING INFORMATION

EO395 - DI - W - 1U/1DT8 - 4 - P12 - WHT - UNV - IND								
SERIES NUMBER	DI	W	1U	1DT8	4	P12	WHT	UNV - IND
LIGHT OUTPUT MOUNTING NUMBER OF LAMPS LAMP TYPE LENGTH DIFFUSER COLOR OPTIONS								

Extruded Shapes - E418 (9 pcs AVAILABLE)

The PMC E418 fixture, used as a direct/indirect, glare-free light source, with a perforated side panel along the upper edge, eliminates the "dark wall" effect often associated with parabolic louvers. All E418 fixtures have powder coated housings, with precision-formed, high reflectance, enamel reflectors for optimal optic efficiency.

Fixtures are UL listed, and have standard electronic ballasts. Each fixture is lamp-tested at the factory before shipment.



Your Cost: **\$400.00**

Book Price: \$943.00

ORDERING INFORMATION

E418 - DI - W - 2/T8 - 4 - PERF/PBL - WHT - UNV - 2CIR								
SERIES NUMBER	DI	W	2	T8	4	PERF/PBL	WHT	UNV - 2CIR
LIGHT OUTPUT MOUNTING NUMBER OF LAMPS LAMP TYPE LENGTH DIFFUSER COLOR OPTIONS								

E418-DI-W-2/T8-4-PERF/PBL-WHT-UNV-2CIR	Qty
Beginning of Row -	9

Extruded Shapes - E17 (7 pcs AVAILABLE)

The PMC E17 Series, available with slotted downlight patterns, is an efficient uplight, with wide-spread distribution for low ceiling ratios. Standard fixtures are powder coated white, (custom colors available), reflective steel surfaces are high gloss white enamel (MRF 90%).

Fixtures are UL listed, and have standard electronic ballasts. Each fixture is lamp-tested at the factory before shipment.



Your Cost: **\$275.00**

Book Price: \$552.00

ORDERING INFORMATION


E17 - I - P - 2/T5HO - 8 - WHT - UNV						
SERIES NUMBER	I	P	2	T5HO	8	WHT - UNV
LIGHT OUTPUT MOUNTING NUMBER OF LAMPS LAMP TYPE LENGTH DIFFUSER COLOR OPTIONS						

E17-I-P-2/T5HO-8-WHT-UNV	Qty
Beginning of Row -	2
End of Row -	2
Individual Mounted -	1
Intermediate -	2

Extruded Shapes - E414 (4 pcs AVAILABLE)

The PMC E414 fixture, with a tapered profile is only 4" deep, yet has an impressive direct and indirect light distribution. Radial white aluminum baffles follow the curve of the housing to create a smooth, slim, silhouette. All E414 fixtures have powder coated housings, with precision-formed, high reflectance, enamel reflectors for optimal optic efficiency.

Fixtures are UL listed, and have standard electronic ballasts. Each fixture is lamp-tested at the factory before shipment.



Your Cost: \$375.00

Book Price: \$630.00

ORDERING INFORMATION

E414 - DI - AC - 4/T5HO - 4 - WHT - UNV							
SERIES NUMBER	DI	AC	4	T5HO	4	WHT	UNV
LIGHT OUTPUT							
MOUNTING							
NUMBER OF LAMPS							
LAMP TYPE							
LENGTH							
COLOR							
OPTIONS							

Extruded Shapes - E565 (42 pcs AVAILABLE)

The PMC E565, has an extruded housing with a smooth perforated semi-specular parabolic aluminum diffuser, with integral balde and installed without hardware. PMC also offer this fixture with it's new optional adjustable mounting feature. All PMC fixtures have epoxy powder coated housings, with precision-formed, white enamel reflectors for optimal efficiency.

Fixtures are UL listed, and have standard electronic ballasts. Each fixture is lamp-tested at the factory before shipment.



Your Cost: \$225.00

Book Price: \$575.00


ORDERING INFORMATION

E565 - D - AC'ADJ - 2/T5HO - 8 - WHT - UNV							
SERIES NUMBER	D		2	T5HO	8	WHT	UNV
LIGHT OUTPUT							
MOUNTING							
NUMBER OF LAMPS							
LAMP TYPE							
LENGTH							
COLOR							
OPTIONS							

Extruded Shape - EH39 (10 pcs AVAILABLE)

The PMC EH39 Series is made of Extruded Aluminum and is often used as a design solution for low ceiling applications where video terminals impose difficult low-brightness requirements, and high footcandles are essential. All EH39 fixtures have powder coated housings, with precision-formed, high reflectance, enamel reflectors.

Fixtures are UL listed, and have standard electronic ballasts. Each fixture is lamp-tested at the factory before shipment.



Your Cost: \$200.00

Book Price: \$468.00

ORDERING INFORMATION


EH39 - DI - W - 2/T5HO - 4 - WHT - UNV							
SERIES NUMBER	DI	W	2	T5HO	4	WHT	UNV
LIGHT OUTPUT							
MOUNTING							
NUMBER OF LAMPS							
LAMP TYPE							
LENGTH							
COLOR							
OPTIONS							

Individual Mounted	Qty
EH39-D1-W-2/T5HO-4-WHT-UNV -	5
EH39-D1-W-2/T5HO-2-WHT-UNV -	5

Extruded Squares - E25275 (152 pcs AVAILABLE)

The PMC E25275 is made of durable aluminum extrusion. This fixture can be modified with a full range of diffusers and light sources, making it a fixture to consider for new installations and retro-fit applications. All E25275 fixtures have powder coated housings, with precision-formed, high reflectance (Minimum Reflectance Factor 90%), reflectors for optimal efficiency.

Fixtures are UL listed, and have standard electronic ballasts. Each fixture is lamp-tested at the factory before shipment.



Your Cost: \$140.00

Book Price: \$279.00


ORDERING INFORMATION

E25275 - I - P - 1/T5HO - 8 - WHT - UNV							
SERIES NUMBER	I	P	1	T5HO	8	WHT	UNV
LIGHT OUTPUT MOUNTING							
NUMBER OF LAMPS							
LAMP TYPE							
LENGTH							
COLOR							
OPTIONS							

Extruded Squares - ES66 (44 pcs AVAILABLE)

The PMC ES66 Squares can be modified with a full range of diffusers and light sources, making it a fixture to consider for new installations and retro-fit applications. All fixtures have powder coated housings, with precision formed, high reflectance (MRF 90%), reflectors for optimal efficiency.

Fixtures are UL listed for damp location, and have standard electronic ballasts. Each fixture is lamp-tested at the factory before shipment.



DIRECT/INDIRECT PL3 DIFFUSER

Your Cost: \$300.00

Book Price: \$566.00

ORDERING INFORMATION


ES66 - DI - W - 1U/2DT8 - 4 - WOA - WHT - UNV - IND							
SERIES NUMBER	DI	W	1U	2DT8	4	WOA	
LIGHT OUTPUT MOUNTING							
NUMBER OF LAMPS							
LAMP TYPE							
LENGTH							
DIFFUSER							
COLOR							
OPTIONS							

ES66-DI-W-1U/2DT8-4-WOA-WHT-UNV-IND -	Qty
	1

ORDERING INFORMATION

ES66 - D - W - 2/T8 - 8 - WHT - UNV							
SERIES NUMBER	D	W	2	T8	8	WHT	UNV
LIGHT OUTPUT MOUNTING							
NUMBER OF LAMPS							
LAMP TYPE							
LENGTH							
COLOR							
OPTIONS							

ES66-D-W-2/T8-8-WHT-UNV	Qty
Individually Mounted -	18
Middle of Row -	25




Your Cost: \$499.00

Book Price: \$1,021.00

Vandal Proof - PVL11 (224 pcs AVAILABLE)

HOUSING: Extruded aluminum with internally reinforced side rails and die cast end caps for maximum strength and rigidity.
REFLECTOR: 20Ga. (.036" thick) cold rolled steel, die formed with multiple bends for maximum rigidity. Unitized with all electrical components for ease of installation.
FINISH: All metal parts are 5-Stage pretreated and finished in polyester powder coat for durability. Consult Factory for custom finishes.
LENS: Recessed lens fasteners require tool to remove lens for re-lamping. All lens varieties are .150" thick Polycarbonate for impact resistance.

Fixtures are UL/CUL listed for Wet Location, and have **standard electronic ballasts**. Each fixture is lamp-tested at the factory before shipment.



Your Cost: \$145.00

Book Price: \$263.00


ORDERING INFORMATION

	PVL	-	D	-	S	-	4/T8	-	4	-	WPR	-	WHT	-	UNV
SERIES NUMBER			D		S		4 T8		4		WPR		WHT		UNV
LIGHT OUTPUT MOUNTING NUMBER OF LAMPS LAMP TYPE LENGTH DIFFUSER COLOR VOLTAGE															

Recessed HID- MDL (405 pcs AVAILABLE)

Product Specification Data:

- Parking Deck Luminaire for concrete recessed mount.
- Minimum deck height due to 3-7/8" shallow housing.
- Modular wiring compartment for ease of installation.
- Reflector and wiring tray, packed separate so contractor can install housing without removing internal parts.
- Reflector to be Hydroformed Polish Aluminum.
- Gasket material is High Temperature Silicone, to form a water tight seal.
- UL/CUL Listed / Damp Location / Wet Location.



Your Cost: \$125.00

Book Price: \$212.00


ORDERING INFORMATION

MODEL NO.	APERTURE TYPE	LAMP TYPE	HOUSING	VOLTAGE	OPTIONS
MDL	SQ 11 x 15	175ED17	DCA	120	MT

Steel Utility - SL2 (16 pcs AVAILABLE)

Series SL2 has a unique linear lens with rib pattern that allows wide distribution of light over the task area without the glare of projecting light forward of the fixture. The front steel surface always presents a finished appearance regardless of fixture placement. Standard finish is powder-coat white applied over a pre-treated surface. Interior reflective surfaces are finished in highly reflective gloss white (M.R.F. 90%).

All fixtures are UL listed and are shipped wired and fully tested, 277V.



Your Cost: \$25.00

Book Price: \$60.00

ORDERING INFORMATION


MODEL NO.	LAMPS	LENGTH	DEPTH
SL2-213	2-13PH (T-5)	42 3/8"	1-1/8"

Recessed Fluorescent - FLH-SQ-8 (140 pcs AVAILABLE)

High Reflectance white powder coat reflector. Designed for 2 horizontally mounted QPL or PLT lamps. Lamps by others. Capable of mounting in 2" thick ceiling. Positive trim retention with torsion springs. Heavy gauge steel housing with aluminum door. Suitable for through wiring (4in/4out) #12 AWG. Factory wired for ease in installation. UL/CUL Listed / Damp Location. Chicago Plenum-CCEA - consult factory. Electronic ballast standard. Ballast accessible from below ceiling.

ORDERING INFORMATION

LIGHT SOURCE	APETURE	LAMP	DOOR	LENS	VOLTAGE
FLH-SQ	- 8	- 2/13QPL	- PW	- P12	- UNV



Your Cost: **\$99.00**


Book Price: \$140.00

Recessed Incandescent - INP-SQ-4 (13 pcs AVAILABLE)

Steel (matte black) Housing Low iridescent specular Alzak® reflector. Designed for 1 vertical MR16 series lamp. Lamps by others. Pulse-rated porcelain socket. Capable of mounting in 2" thick ceiling. Positive trim retention. Thermal protection. 14 Gauge galvanized junction box with snap-on covers. Suitable for through wiring (4in/4out) #12 AWG. Factory wired for ease in installation. ETL/CSA Listed / Damp Location. Chicago Plenum-CCEA consult factory. Bar Hangers Standard

ORDERING INFORMATION

LIGHT SOURCE	APETURE	LAMP	DOOR	LENS	VOLTAGE
INP-SQ	- 4	- 50MR16	- PW	- 120	- 12V



Your Cost: **\$99.00**

Book Price: \$180.00

PMC LIGHTING

100 Gilbane Street - Warwick, RI 02886 - Phone (401) 738-7266 - Fax (401) 738-0618 - www.pmcighting.com

© 2008 PMC Lighting Inc. All rights reserved. Certain products illustrated in this catalog may be protected by applicable patents and patents pending. PMC Lighting will aggressively defend all of its intellectual property. We reserve the right to change details of design, materials and finishes.